



PLANUX



With over 50 years' experience and commitment to constant innovation, Comelit designs and manufactures the best Video Door Entry, CCTV, Security and Domestic Automation systems. Despite its international dimensions, Comelit retains a level of entrepreneurial vitality and attention to customers more typically associated with a genuinely glocal company. Comelit products are sold in over 70 countries worldwide through an extensive technical and sales network. Their quality is guaranteed by leading-edge technological research, ongoing optimisation of functional and application processes and pure-bred Italian design.





The evolution of the concept ***of form and function***

An idea. A project. A reality. Planux revolutionises the concept of video door entry systems, both in terms of form and performance, thanks to the use of innovative technology offering incredible versatility, maximum ease of use and a **“sensitive touch” monitor.**

These state-of-the-art solutions come in an exclusive, original form derived from Comelit’s research and creativity, which minimises overall dimensions and maximises elegance and practicality. The result is a gem of architectural design available in a range of fashionable colours, which you can change whenever you want by just replacing the coloured cover plate.

PLANUX



Sensitive Touch:
the sensitive
revolution

PLAN

A touch of magic before your very eyes: just move your hand in front of the screen and the control keys illuminate for easy use and recognition. You can control all the functions with the utmost ease and a simple movement of the hand that never fails to charm and surprise. When a call comes in, the display and keys of Planux illuminate automatically with Comelit's unmistakable blue courtesy light, and the "audio" and "door lock release" function keys start flashing. Giving you better control of the situation, day and night.





Colours to suit every **life style**

Charm, originality and personality are the hallmark of every version. The range comes in three lines of colours - Classic, Prestige and Trendy - each reflecting a different way of living and looking at the world. With Planux every living space takes on the personality of its owner.

PLANUX | Classic



Absolute Black

The classic version, in All White and Absolute Black, is for lovers of timeless perfection.



All White



PLANUX | **Templates**
Prestige



Wengé

The Prestige line, embellished with soft but intense colours, is for customers who want a touch of originality and prestige.



Green Valley



Madre Perla



Gold

Trendy, with its strong, vivacious colours, harmoniously blends high technology with the modern culture of living.

PLANUX | Templates

Trendy



Blue Sky



Rock Violet



Orange Sunshine



Royal Red



PLA

A monitor measuring just 145x145 mm and a 3.5" colour display in several variants, designed to meet a comprehensive range of aesthetic and personal requirements.

No less than three versions are available for surface-mounting: traditional, with depth of just 33 mm; flush-mounting, a protrusion of only 8 mm, with tilting monitor and the uniquely elegant and practical desktop version with co-ordinated base.



Many installation possibilities, one common advantage: the SimpleBus Color system. Two-wire technology that ensures maximum performance and high definition of colours. Planux is the start of a new generation of video door entry systems that optimise design, functionality and good looks all at the same time.

PLANUX

High technological profile
with
ultra-flat lines



SIMPLEBUS
COLOR



PLAN

Comelit


Simple
and intuitive
on every level

Planux was designed on the basis of the current and future needs of families and homes. High-quality technical and functional solutions translate into a vast range of services.


From the convenience of hands-free use, to the practicality of two-way full-duplex communication, just like talking face-to-face; from the intercom device for communication within the home, to **Induction Loop amplification technology for hearing aid users.**

The highest technology translates into performance designed to improve the quality of life of all users.


And what's more, you can personalise the menu by renaming the options, programme the keys as you want, assign a personalised order of priority to the scale of functions, and choose from 7 different ringtones.



Main menu




Level 1 - Cameras




Level 1 - Settings



Level 2 - Adjust image



Level 2 - Adjust volumes



Level 2 - Set ringtone

Technology that really makes you **feel at home**



Audio
Pushbutton for activating and deactivating the audio line after a call. The audio line for conversation is of full-duplex type. A blue LED indicates conversation status.

Door lock release
Door lock release pushbutton. A red LED indicates that the door is open.

Automatic switch-on

Privacy or doctor
The function is selected from the menu. Privacy: enables/disables the call ringtone. If the ringtone is disabled the red LED illuminates. Doctor: disables/enables automatic activation of the door lock.

Call Switchboard
Actuator
Intelligent device for general uses.

Navigation pushbuttons

Confirm pushbutton

Menu pushbutton

Versatility and personalisation are the guiding principles of Planux.

This advanced monitor lies at the heart of this innovative concept of service. Equipped with ten control pushbuttons, including audio volume control, door lock release, menu access and navigation, quick name directory selection, with "privacy" and "doctor" functions for enabling/disabling the call ringtone and automatic activation of the lock respectively.

This innovative approach finds expression in the on-screen display technology. Control, adjustment and function selection are managed by means of menus structured into logical and intuitive levels similar to those used in the most advanced mobile phones and palmtop computers. This revolution is set to simplify and rationalise the dynamics of function selection.



***Also ideal
for lovers
of simplicity***

Planux was also designed for people who want the utmost simplicity of use from their internal unit and only want entry call and door lock release functions.


At the installation stage, simply follow the "exclude functions" procedure and then replace the standard bezel with the one specifically supplied for use with audio and door lock release buttons only.



Video door entry system with SIMPLEBUS COLOR wiring consisting of:

- one audio-video input with digital call module complete with electronic name directory
- one audio-video riser

PLANUX




* for use in conjunction with: **flush-mount box** (art. 6117), **wall bracket** (art. 6120 - 6121) or **desktop base** (art. 6112 - 6113)

users n°	3110/3	3111/3*	3321/0	3340	4660C	1395	4888C	6114C	6101B	6101W
1-100	1	1	1	1	1	1	1	1-100	1-100	1-100

* For the wall-mounted version, add case art. 3316/3; it is no longer necessary to order flush-mount box art. 3110/3.
 **The module holder frame is available in the following colours: Grey (3311/G), White (3311/W), Blue (3311/B), Orange (3311/O)

Video door entry system with SIMPLEBUS COLOR wiring consisting of:

- one audio-video input
- one audio-video riser



* for use in conjunction with: **flush-mount box** (art. 6117) or **wall bracket** (art. 6120 - 6121) or **desktop base** (art. 6112 - 6113)

users n°	3110/1*	3110/2*	3110/3*	3311/1**	3311/2**	3311/3**	3321/0	3321/1	3321/2	3323/3	3323/4	3323/6	3326	4660C	1395	4888C	6114C	6101B	6101W
1	1			1				1						1	1	1	1	2	2
2	1			1					1					1	1	1	2	3	3
3		1			1		1			1				1	1	1	3	4	4
4		1			1		1				1			1	1	1	4	5-6	5-6
5-6		1			1		1					1		1	1	1	5-6	7-8	7-8
7-8		1			1				1			1		1	1	1	7-8	9-10	9-10
9-10			1			1	1				1	1		1	1	1	9-10	11-12	11-12
11-12			1			1	1					2		1	1	1	11-12	13-14	13-14
13-14			1			1			1			2		1	1	1	13-14	15-16	15-16
15-16		2			2		1				1	2		1	1	1	15-16	17-18	17-18
17-18		2			2		1					3		1	1	1	17-18	19-20	19-20
19-20		2			2				1			3		1	1	1	19-20	21-22	21-22
21-22			2			2	1				1	3	1	1	1	1	21-22	23-24	23-24
23-24			2			2	1					4	1	1	1	1	23-24	25-26	25-26
25-26			2			2			1			4	1	1	1	1	25-26	27-28	27-28
27-28			2			2	1				1	4		1	1	1	27-28	29-30	29-30
29-30			2			2	1					5		1	1	1	29-30	31-32	31-32
31-32			2			2			1			5		1	1	1	31-32	33-34	33-34
33-34			3			3	1				1	5	2	1	1	1	33-34	35-36	35-36
35-36			3			3	1					6	2	1	1	1	35-36	37-38	37-38
37-38			3			3			1			6	2	1	1	1	37-38	39-40	39-40
39-40			3			3	1					6	1	1	1	1	39-40	41-42	41-42
41-42			3			3	1					7	1	1	1	1	41-42	43-44	43-44
43-44			3			3			1			7	1	1	1	1	43-44	45-46	45-46
45-46			3			3	1				1	7		1	1	1	45-46	47-48	47-48
47-48			3			3	1					8		1	1	1	47-48	49-50	49-50
49-50			3			3			1			8		1	1	1	49-50		

* For the wall-mounted version, add case art. 3316/1/2/3/4/6/9 according to the number of modules that make up the external unit; it is no longer necessary to order flush-mount box(es) art. 3110/1/2/3

** The module holder frame is available in the following colours: Grey (3311/G), White (3311/W), Blue (3311/B), Orange (3311/O)



PLANUX



6101B | Planux monitor in black

3.5" colour monitor with OSD. Equipped with "sensitive touch" technology and full-duplex hands-free function. Audio, ringtone, colour, brightness and contrast controls. You can select the ringtone you want from a choice of 7 different tunes. Equipped with door lock release pushbutton with LED, audio enable/disable pushbutton with LED, privacy or doctor function (selectable from menu) pushbutton, automatic switch-on pushbutton, 2 spare pushbuttons for various uses and 4 pushbuttons for menu access, navigation and confirmation. The monitor can be converted into a desktop version using art. 6112 or 6113.

Dimensions 145x145x33mm.



6101W | Planux monitor in white

3.5" colour monitor with OSD. Equipped with "sensitive touch" technology and full-duplex hands-free function. Audio, ringtone, colour, brightness and contrast controls. You can select the ringtone you want from a choice of 7 different tunes. Equipped with 1 door lock release pushbutton with LED, audio enable/disable pushbutton with LED, privacy or doctor function (selectable from menu) pushbutton, automatic switch-on pushbutton, 2 spare pushbuttons for various uses and 4 pushbuttons for menu access, navigation and confirmation. The monitor can be converted into a desktop version using art. 6112 or 6113.

Dimensions 145x145x33mm.



6114C | Bracket for wiring Simplebus Color for Planux monitor

The video door entry system is complete conversation privacy as standard. Handles local floor calls and call repetition as standard.

Dimensions: 96X106X17 mm



6114CI | Bracket with intercom function for wiring Simplebus Color for Planux monitor

The video door entry system is complete with conversation privacy. Handles local floor calls and call repetition as standard.

Dimensions: 96X106X17 mm



6112 | Desktop base with 8 terminals for Planux monitor

Desktop base for converting the Planux monitor for desktop use. Complete with 2 m of RJ45 terminated cable for the use of RJ45 wall sockets and connection box.

Dimensions: 145X190X120 mm



6113 | Desktop base with 23 terminals for Planux monitor
 Desktop base for converting the Planux monitor for desktop use. Complete with 2 m of cable and connection box.
 Dimensions: 145X190X120 mm



6117 | Flush-mount box for Planux monitor
 Flush-mount box for Planux monitor. For use with with tilt accessory art. 6122.
 Dimensions: 132X132X50 mm



6120 | Surface housing for Planux monitor
 Surface housing for Planux monitor. Cannot be used with tilt accessory art. 6122.
 Dimensions: 145X145X26 mm



6121 | Surface Housing for Planux monitor
 Long bracket for wall-mounting of Planux monitor. For use with with tilt accessory art. 6122.
 Dimensions: 145X145X45 mm



6122 | Tilt accessory for Planux monitor
 Accessory for tilting the Planux monitor, for use in conjunction with art. 6121 or flush-mount box art. 6117. Allows tilting of the Planux monitor up to a maximum of 20°.
 Dimensions: 136X136X40 mm. Maximum tilt 20°.



6101Z
 Planux was also designed for people who want the utmost simplicity of use from their internal unit and only want entry call and door lock release functions.

Templates
 PLANUX | Prestige



6101D
 Green Valley



6101E
 Madre Perla



6101C
 Wengé



6101J
 Gold

Templates
 PLANUX | Trendy



6101F
 Rock Violet



6101G
 Orange Sunshine



6101H
 Royal Red



6101I
 Blue Sky



[B] Comelit Group Belgium

Z.3 Doornveld 170
1731 Zellik (Asse)
Tel. +32 (0) 24115099 - Fax +32 (0) 24115097
www.comelit.be - info@comelit.be

[D] Comelit Group Germany GmbH

Brusseler Allee 23- 41812 Erkelenz
Tel. +49 (0) 243190151-23 • +49 (0) 243190151-24
Fax +49 (0) 24319015125
www.comelit.de - info@comelit.de

[E] Comelit Espana S.L.

Josep Estivill 67-69 - 08027 Barcelona
Tel. +34 932 430 376 - Fax +34 934 084 683
www.comelit.es - info@comelit.es

[F] Comelit Immotec

Siège: Parc d'activités Technologiques EUROPARC
3, Allées des Saules - 94042 CRETEIL CEDEX
Tél. +33 (0) 1 43 53 97 97
Fax +33 (0) 1 43 53 97 87
Centre logistique livraisons - commandes
15, Rue Jean Zay - 69800 SAINT PRIEST
Tél. +33 (0) 4 72 28 06 56
Fax +33 (0) 4 72 28 83 29
www.comelit.fr - comelit.NH@wanadoo.fr

[GR] Comelit Hellas

9 Epiru str.
16452 Argiroupolis - Athens Greece
Tel. +30 210 99 68 605-6
Fax +30 210 99 45 560
www.comelit.gr - telergo@otenet.gr

[I] Comelit Piemonte

Str. Del Pascolo 6/E - 10156 Torino
Tel. e Fax +39 011 2979330
www.comelit.eu
gino.bruccheri@comelit.it
roberto.tani@comelit.it
luca.merlo@comelit.it

[I] Comelit Sud S.r.l.

Via Corso Claudio, 18
84083 Castel San Giorgio (Sa)
Tel. +39 081 516 2021
Fax +39 081 953 5951
www.comelit.eu - info@comelitsud.it

[IRL] Comelit Ireland

Suite 3 Herbert Hall
16 Herbert Street - Dublin 2
Tel. +353 (0) 1 619 0204
Fax +353 (0) 1 619 0298
www.comelit.ie - info@comelit.ie

[NL] Comelit Nederland BV

Aventurijn 220-3316 LB Dordrecht
Tel. +31 (0) 786511201
Fax +31 (0) 786170955
www.comelit.nl
info@comelit.nl

[PRC] Comelit (Shanghai) Electronics Co.,Ltd

5 Floor No. 4 Building No.30
Hongcao Road
Hi-Tech Park Caohejing,
Shanghai, China
Tel. +86-21-64519192/9737/3527
Fax +86-21-64517710
www.comelit.com.cn
comelit@comelit.com.cn

[SG] Comelit Group

Singapore Representative Office
54 Genting Lane,
Ruby Land Complex
Blk 2, #06-01 - Singapore 349562
Tel. +65-6748 8563
Fax +65-6748 8584
office@comelit.sg

[UAE] Comelit Group U.A.E.

Middle East Office
P.O. Box 54433
Dubai U.A.E.
Tel. +971 4 299 7533
Fax +971 4 299 7534
www.scame.ae
scame@scame.ae

[UK] Comelit Group UK Ltd

Unit 4 Mallow Park
Watchmead Welwyn
Garden City Herts
AL7 1GX
Tel: +44 (0)1707377203
Fax: +44 (0)1707377204
www.comelitgroup.co.uk
info@comelitgroup.co.uk

[USA] Comelit Cyrex

250 W. Duarte Rd. Suite B
Monrovia, CA 91016
Tel. +1 626 930 0388
Fax +1 626 930 0488
www.comelitusa.com
sales@cyrexnetworks.com

Comelit Group SpA

Via Don Arrigoni 5 - 24020 Rovetta S. Lorenzo - Bergamo - Italy
Tel. +39 0346 750 011 - Fax +39 0346 71436 - www.comelit.eu - info@comelit.it - www.simplehome.eu

